



Gütermann  
creativ



EN



Degree of difficulty

Instruction **STORAGE BASKET**

# Instruction **STORAGE BASKET** size 40 x Ø 37 cm



## Materials from Gütermann

- Sew-all thread colour matching
- Cotton fabric 145 cm wide, Collection COSY MOOD:
- 0.90 m wild rose pattern in blue-grey-taupe-nature
- 0.90 m pink cotton fabric
- HT2 textile adhesive

## In addition

- 1.20 m Style-Vil insert, 72 cm wide
- 1.20 m fabric insert G 740, 90 cm wide
- 1.20 m volume fleece HH 650, 90 cm wide
- Cut paper

## Tools

- Sewing machine
- Iron and pressing cloth
- Scissors
- Pins
- Textile marker or chalk
- Ruler
- Tape measure
- Compass

## Preparation

On cutting paper, trace a circle with Ø 37 cm and cut out. This is for the bottom section.

## Cutting

- Hedge roses pattern: outside part 117 x 40 cm; bottom Ø 37 cm
- Taupe fabric: lining side part 117 x 40 cm; bottom Ø 37 cm; handle 16 x 8 cm
- Style-Vil: side part 117 x 40 cm; bottom Ø 37 cm
- Fabric insert: side part 117 x 40 cm; bottom Ø 37 cm

Cut all parts with 1 cm seam allowance.



**1.** Press the fabric insert on the backs of the taupe cut pieces. Place the coated side down on the fabric. Cover with a damp cloth and press in 12-second increments, do not let slide. After fixing in place, let the parts cool down for 30 minutes. Put on the left side of the fabric on the outside part and the bottom part of the volume fleece and place Style-Vil over that. Cover with a damp cloth and press in 12-second increments, do not let slide. This bonds the fabric to the Style-Vil. After fixing in place, let the parts cool down for 30 minutes.



**2.** Stitch the side panel of hedge rose pattern to the ring. Place it on the right side and put the side edges together. Stitch the seam. Trim back the seam allowances of the Styl-Vil close to the seam line. Press the seam allowances of the outer fabric.




**3.** Place the patterned side panel right to right on the bottom. Stich the seam all around. Trim back the Styl-Vil on the bottom and side panel until it is tight to the seam line. Press the seam allowances in the side panel. Close the seam of the taupe side part as described in step 2, leaving an approx. 25 cm long slit open in the middle for turning right side out. Connect the bottom to the side part as described.



**4.** Slide the taupe lining right to right over the outer basket. The side seams must lie evenly on top of each other. Pin them together along the top of the basket. Stich the seam all around. Trim back the Style-Vil close to the seam line. Trim the seam allowances to 1 cm width. Turn the basket right side out through the slit in the lining. Pin the upper edge and place the fabric layers together. Iron and stitch around 1 cm wide. Lay the edges of the slit left to left and stitch together with narrow edges. Put the lining in the basket.



**5.** Fold the long edges of the carrying handle right to right. Stitch the seam 1 cm wide. Press the seam allowances and turn the strip. Place the seam in the middle of the strip and iron the strip again. Hold the ends together and trim. Fold 1 cm wide on the left side and pin. Press the edges.



**6.** With 3 cm distance to the upper edge of the basket, mark the vertical wicker seam on the outside 8 cm on both sides. Place the carrying handle in the middle of the seam in line with these markings. Sew on both sides through all layers tight to the edges.

**Gütermann GmbH**

Landstr. 1

DE- 79261 Gutach-Breisgau

Tel +49 76 81 21-0

Fax +49 76 81 21-449

contact@guetermann.com

[www.guetermann.com](http://www.guetermann.com)

