




EN



Degree of difficulty

Instruction **POUF**

Instruction **POUF** size 36 cm x Ø 62 cm



Materials from Gütermann

- Sew-all thread in a matching shade
- Extra Strong in mint
- Cotton fabric 145 cm wide, collection COSY MOOD:
- 0.70 m feather pattern in mint-dark-green-cream
- 0.70 m cotton fabric in taupe
- 0.80 m hexagon pattern in mint-dark-green-cream-lobster
- 0.65 m grosgrain ribbon in blue, 15 mm wide
- Optionally with lining bag: 1.30 m plain cotton fabric, 145 cm wide

In addition

- Cut paper
- About 120 l of polystyrene beads
- 2.40 m volume fleece H 630, 90 cm wide

Tools

- Sewing machine
- Iron and pressing cloth
- Scissors
- Pins
- Textile marker
- Ruler
- Tape measure
- Optional: hand sewing needle

Preparation

Quarter-fold the paper. Use the tape measure to trace a quarter circle with a radius of 31 cm from one corner of the fold edge. Cut and unfold = full circle with Ø 62 cm.

Cutting

- Feather pattern: top side with Ø 62 cm
- Cotton fabric taupe: bottom side with Ø 62 cm; side strips 8 x 36 cm
- Hexagon pattern: 2x 97.5 x 36 cm
- Volume fleece: 2x each Ø 62 cm (without seam allowance), 2x each 90 x 36 cm; 1x 15 x 36 cm
- Optional cotton lining: 2x each Ø 62 cm, 2x each 97.5 x 36 cm.

Cut all parts with 1 cm seam allowance.



1. Fold the long edges of the taupe strip 1 cm wide on the left side and press, pin with needles if necessary. Fold the fold line over left to left and iron the fold, then unfold again. Place the grosgrain ribbon in the middle of the fold, do not cut away the overlapping ribbon at one end. Stich the ribbon on both sides.



2. Glue the left side panels of the upper and lower part as well as both side panels with volume fleece. Use a damp pressing cloth and press the fleece in 15-second increments. After fixing in place, let the parts cool down for approx. 30 minutes.



3. Lay the two side panels right to right. Place over one another along a 36 cm long edge. Stitch the seam 1 cm wide. Press out the seam allowances. Place the taupe side strip in the middle of the seam. Stich up on both sides with narrow edges. Press the seams. Place the open lateral edges of the side panels right to right. Stitch the side seam, leaving a 20 cm long slot open for filling and turning right side out. Press out the seam allowances. Fold the protruding ribbon to the loop so that the cut edges of the ribbon and upper side panel overlap. Put the side panel right to right on the top piece, while the edge with the ribbon loop lies on the top part. Stitch the seam all around.



4. Then press the side panel and the top side together along the seam line. Stich all around using the Extra Strong thread with 0.4 cm stitches or with the machine on the 4 mm setting. Start at one side of the ribbon and end at the other side of the ornamental seam.



5. Turn the cover to the left side again. Put the open lower side edges right to right on the bottom section. Stitch the seam all the way around and press the seam allowances into the side panel. Turn the stool right side out through the slit.



6. Filling without lining: Cut away a small corner of the bag of polystyrene beads. Push the open corner like a funnel into the open slit edge of the stool. Pin the fabric of the slot all around the plastic bag, then push the polystyrene beads into the stool. Keep squeezing the stool until it is firmly filled.

Optional with lining: Place the lining side part right to right and stitch it to the ring, leaving a 15 cm long slit in the middle. Press seam allowances. Put the top side right to right onto the side part, stitch the seam. Do the same for the seam on the lower part. Put the lining right to left in the stool made of outer material and fill it up with the beads as described above, compressing it again and again. Close the slot of the lining with hand stitches, then close the slot of the outer fabric. To clean the stool cover, open the lower edge of the stool approx. 50 cm and pull out the lining.

Gütermann GmbH

Landstr. 1

DE- 79261 Gutach-Breisgau

Tel +49 7681 21-0

Fax +49 7681 21-449

contact@guetermann.com

www.guetermann.com

