



EN



# Instruction **COSMETIC BAG**



## Materials from Gütermann

- Sew-all thread in a matching colours
- Cotton fabric 145 cm wide, collection MOST BEAUTIFUL:
- 0.15 m lily of the valley pattern in blue-white
- 0.25 cm cream white cotton fabric
- Deco Stitch 70, Col. 582

## In addition

- 0.30 m iron-on fabric lining G 710, 90 cm wide
- 0.50 m moss green velvet piping
- Non-woven backing
- Endless zipper in blue with silver teeth, 25 cm long
- Silver-coloured slider for zipper

## Tools

- Sewing machine
- Iron and iron cloth
- Scissors
- Pins
- Textile marker
- Ruler
- Tape measure
- Set square

## Size

- 21 x 4 x 16 cm (L x W x H)

## Cutting

- Lily of the valley pattern: Upper part 21 x 10 cm, 2x
- Cotton fabric cream white: Bottom part 21 x 8 cm, 2x; lining 21 x 18 cm, 2x; zipper 1.5 x 2.5 cm, 4x
- Fabric lining: Upper part 21 x 10 cm, 2x; lower part 21 x 8 cm, 2x; lining 21 x 18 cm, 2x

Cut all parts with a 1 cm seam allowance.



**1.** Place the fabric linings on the left side of the cut parts for the upper, lower and lining parts, with the coated side facing the fabric. Place a damp ironing cloth on top and press on in 12 second steps. After fixing, allow the parts to cool flat, so that the linings bond with the fabric.



**2.** Place the piping right on right on the longitudinal edge of the bottom part and pin with needles. With the longest possible stitch setting and the zipper foot, staple the piping onto the bottom part. Then place the upper part right on right over the edge of the piping and pin. Stitch on with the zipper foot. Iron the seam allowances grouped together in the direction of the top part. Sew and iron the back of the bag in the same way.

**Tip:** To ensure that the piping does not move, fix the folded piping with a few stitches on the seam allowance.



**3.** Draw a line with the ruler and textile marker 1 cm from the piping seam. Feed in Thread Deco Stitch 70 in moss green, use Sew-all Thread in the same colour as the bottom thread. Place a strip of non-woven backing under the marking and stitch the top stitch along the line. Then remove the non-woven, iron the top stitch.



**4.** Shorten the zipper to a length of 23 cm (incl. seam allowance). Place the top bar strip right-on-right over the middle of the zip with a distance of 1.5 cm from the end of the zip, and the second one flush underneath. Pin the bar to the strip. Quilt the seam across the zipper 1 cm wide, including all layers. Fold the upper and lower bar towards the end of the zipper and iron one on top of the other. Quilt the shim line with a narrow edge. Lock the second end of the zipper in the same way.



**5.** Place the zipper right on right on the cut edge of the upper part, and also place the upper edge of the lining right on right on top and pin. Quilt the seam with the zipper foot at a distance of 0.3 – 0.5 cm from the teeth, while running the stitch line to the seam allowance of the bar at the beginning and end. Fold the top part and lining away from the zipper left on left and iron along the zipper. Sew the second side of the zipper in the same way between the top part and the lining.



**6.** From the zipper, place the outer sides of the bag right on right. Push the side seams and bottom seam on to each other. Quilt the seam all around from the tip of the bar. Iron seam allowances apart. Also place the lining parts away from the zipper right on right and pin, as described above, quilt the seam, but leave an opening of approx. 9 cm in the middle in the side or bottom seam for turning. Iron seam allowances apart.



**7.** Fold the side seam onto the bottom seam from a lower corner; they must lie exactly on top of each other.

**Tip:** Use a needle to pierce through the side seam and then through the bottom seam, so that they automatically slide over each other.

Measure 2 cm on the seam from the tip of the triangle, mark a line here at a right angle with the set square towards the slopes. Quilt along the marking. Cut back the seam allowances and iron them apart. Shape the corners well. Work all 4 corners of the upper and lining pocket in this way. Then turn the bag. Place the open slit edges left on left on top of each other and quilt with a narrow edge. Push the lining into the outer pocket and close the zipper.

## Gütermann GmbH

Landstr. 1

DE- 79261 Gutach-Breisgau

Tel +49 7681 21-0

Fax +49 7681 21-449

contact@guetermann.com